

SAFETY DATA SHEET

according to the Globally Harmonized System



Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Amitraz (50%) Solid Formulation

Other means of identification : COOPERS AMITIK CATTLE DIP AND SPRAY (41044)

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 3

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 2 (Liver, Central nervous system)

Short-term (acute) aquatic hazard : Category 1

Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms	:	   
Signal word	:	Danger
Hazard statements	:	H302 Harmful if swallowed. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H350 May cause cancer. H373 May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P203 Obtain, read and follow all safety instructions before use. P260 Do not breathe dust. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P317 + P330 IF SWALLOWED: Get medical help. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help. P318 IF exposed or concerned, get medical advice. P333 + P317 If skin irritation or rash occurs: Get medical help. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Amitraz (50%) Solid Formulation

Version 3.0 Revision Date: 28.09.2024 SDS Number: 10650648-00006 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
amitraz (ISO)	33089-61-1	$\geq 50 - < 70$
Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	9084-06-4	$\geq 10 - < 20$
Nonylphenol, ethoxylated	9016-45-9	$\geq 1 - < 2.5$
Paraformaldehyde	30525-89-4	$\geq 1 - < 2.5$

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes mild skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
Suspected of causing genetic defects.
May cause cancer.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam

Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

Carbon dioxide (CO₂)
Dry chemical

- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Sulphur oxides
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Amitraz (50%) Solid Formulation

Version 3.0 Revision Date: 28.09.2024 SDS Number: 10650648-00006 Date of last issue: 27.11.2023
Date of first issue: 09.04.2022

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Keep away from water.
Protect from moisture.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
amitraz (ISO)	33089-61-1	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	1250 µg/100 cm ²	Internal

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Formaldehyde	50-00-0	STEL	2 ppm 3 mg/m ³	IN OEL
Further information: Suspected human carcinogens				
		TWA	1 ppm 1.5 mg/m ³	IN OEL
Further information: Suspected human carcinogens				
		TWA	0.1 ppm	ACGIH

Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

		STEL	0.3 ppm	ACGIH
Engineering measures	:	All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.		
Personal protective equipment				
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.		
Filter type	:	Combined particulates and inorganic gas/vapour type		
Hand protection				
Material	:	Chemical-resistant gloves		
Remarks	:	Consider double gloving.		
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.		
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.		
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white
		grey
Odour	:	No data available

Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents. Hazardous decomposition products will be formed upon contact with water or humid air.
Conditions to avoid	:	Exposure to moisture Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents Water

Hazardous decomposition products

Contact with water or humid air	:	Formaldehyde
---------------------------------	---	--------------

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 911.67 mg/kg Method: Calculation method
---------------------	---	---

Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
---------------------------	---	--

Components:

amitraz (ISO):

Acute oral toxicity	:	LD50 (Rat): > 400 mg/kg LD50 (Mouse): > 1,085 mg/kg LD50 (Guinea pig): > 400 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rat): > 1,600 mg/kg

Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

Paraformaldehyde:

Acute oral toxicity : LD50 (Rat, male): 592 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.07 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 10,000 mg/kg

Skin corrosion/irritation

Causes mild skin irritation.

Components:

amitraz (ISO):

Species : Rabbit
Result : No skin irritation

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Nonylphenol, ethoxylated:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Paraformaldehyde:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

amitraz (ISO):

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET

according to the Globally Harmonized System



Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

Nonylphenol, ethoxylated:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irreversible effects on the eye

Paraformaldehyde:

Species	: Rabbit
Result	: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

amitraz (ISO):

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Nonylphenol, ethoxylated:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

Paraformaldehyde:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Result	: positive
Remarks	: Based on data from similar materials

Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

Assessment : Probability or evidence of high skin sensitisation rate in humans

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

amitraz (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Paraformaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: positive
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: positive
Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test
Result: positive
Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: positive
Remarks: Based on data from similar materials

Test Type: In vitro sister chromatid exchange assay in mammalian cells

Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

	Result: positive Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: inhalation (vapour) Result: positive Remarks: Based on data from similar materials
	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
Germ cell mutagenicity - Assessment	: Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity
May cause cancer.

Components:

amitraz (ISO):

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: > 10.18 mg/kg body weight
Result	: negative

Species	: Mouse
Exposure time	: 2 Years
LOAEL	: 2.3 mg/kg body weight
Result	: positive
Target Organs	: Liver, Stomach

Paraformaldehyde:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 105 weeks
Result	: negative

Species	: Rat
Application Route	: Inhalation
Exposure time	: 28 Months
Result	: positive
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Sufficient evidence of carcinogenicity in animal experiments
------------------------------	--

Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

Reproductive toxicity

Not classified based on available information.

Components:

amitraz (ISO):

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: NOAEL: > 4.8 mg/kg body weight Result: No significant adverse effects were reported
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 3 mg/kg body weight Remarks: No significant adverse effects were reported
	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 5 mg/kg body weight Result: Effects on foetal development

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
Effects on foetal development	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Paraformaldehyde:

Assessment	: May cause respiratory irritation.
------------	-------------------------------------

STOT - repeated exposure

May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the Globally Harmonized System



Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

Components:

amitraz (ISO):

Target Organs	: Liver, Central nervous system
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

amitraz (ISO):

Species	: Mouse
NOAEL	: 3 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Liver

Species	: Dog
NOAEL	: 0.25 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Central nervous system, Liver

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species	: Rat
NOAEL	: $\geq 1,000$ mg/kg
Application Route	: Ingestion
Exposure time	: 42 Days
Method	: OECD Test Guideline 422

Paraformaldehyde:

Species	: Rat, male
NOAEL	: 15 mg/kg
Application Route	: Ingestion
Exposure time	: 105 Weeks
Remarks	: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

amitraz (ISO):

Ingestion	: Target Organs: Central nervous system
-----------	---

Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

amitraz (ISO):

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.45 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.035 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l Exposure time: 91 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC: 0.00148 mg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.0011 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	10

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---	--

Nonylphenol, ethoxylated:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l

SAFETY DATA SHEET

according to the Globally Harmonized System



Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

	Exposure time: 72 h
	Method: OECD Test Guideline 201
	Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC: > 0.1 - 1 mg/l Exposure time: 100 d Species: Oryzias latipes (Japanese medaka) Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: > 0.001 - 0.01 mg/l Exposure time: 28 d Species: Mysidopsis bahia (opossum shrimp) Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	: 10

Paraformaldehyde:

Toxicity to fish	: LC50: > 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): > 1 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50: > 10 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC: > 1 mg/l Exposure time: 28 d Species: Oryzias latipes (Orange-red killifish) Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: > 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 Remarks: Based on data from similar materials

Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

Persistence and degradability

Components:

Nonylphenol, ethoxylated:

Biodegradability	:	Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

Paraformaldehyde:

Biodegradability	:	Result: Readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

Bioaccumulative potential

Components:

amitraz (ISO):

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 1,333
-----------------	---	---

Partition coefficient: n-octanol/water	:	log Pow: 5.5
--	---	--------------

Nonylphenol, ethoxylated:

Partition coefficient: n-octanol/water	:	log Pow: 4.48
--	---	---------------

Paraformaldehyde:

Partition coefficient: n-octanol/water	:	log Pow: -1.40 Remarks: Calculation
--	---	--

Mobility in soil

Components:

amitraz (ISO):

Distribution among environmental compartments	:	log Koc: 3.3
---	---	--------------

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SAFETY DATA SHEET

according to the Globally Harmonized System



Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (amitraz (ISO), Nonylphenol, ethoxylated)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (amitraz (ISO), Nonylphenol, ethoxylated)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (amitraz (ISO), Nonylphenol, ethoxylated)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS	: not determined
------	------------------

Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 28.09.2024

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
IN OEL : India. Permissible levels of certain chemical substances in work environment.

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
IN OEL / TWA : Time-Weighted Average Concentration (TWA) (8 hrs.)
IN OEL / STEL : Short-term exposure Limit STEL (15 min)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Trans-

SAFETY DATA SHEET

according to the Globally Harmonized System



Amitraz (50%) Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2023
3.0	28.09.2024	10650648-00006	Date of first issue: 09.04.2022

portation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN