

Cefquinome Formulation

/ersion 7.3	Revision Date: 28.09.2024		S Number: 929-00026	Date of last issue: 05.12.2023 Date of first issue: 04.11.2014
SECTION	1. IDENTIFICATION			
Produ	uct name	:	Cefquinome Fo	prmulation
Other	means of identification	:	Cobactan 2.5%	Injection (A008163)
Manu	afacturer or supplier's	deta	ils	
Comp	bany	:	MSD	
Addre	Address			0, 6th floor, Ciudad Autonoma Argentina C1013AAP
Telep	hone	:	908-740-4000	
Emer	Emergency telephone		1-908-423-600	0
E-ma	E-mail address		EHSDATASTE	WARD@msd.com
Reco	mmended use of the c	hem	ical and restric	tions on use
	mmended use	:	Veterinary proc	duct
Restrictions on use		:	Not applicable	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Skin corrosion/irritation	: Category 3	
Respiratory sensitization	: Category 1	
Short-term (acute) aquatic hazard	: Category 1	
Long-term (chronic) aquatic hazard	: Category 2	
GHS label elements Hazard pictograms		
Signal Word	: Danger	
Hazard Statements	 H316 Causes mild skin irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. 	



Cefquinome Formulation

Version 7.3	Revision Date: 28.09.2024	SDS Number: 27929-00026	Date of last issue: 05.12.2023 Date of first issue: 04.11.2014
Precautionary Statements		P273 Avoid re	reathing mist or vapors. lease to the environment. spiratory protection.
		keep comforta P332 + P313 tion.	
		Disposal: P501 Dispose disposal plant	of contents/ container to an approved waste
Othe	r hazards which do n		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cefquinome	118443-89-3	>= 2,5 -< 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	 If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	 Causes mild skin irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.



Version 7.3	Revision Date: 28.09.2024		DS Number: 929-00026	Date of last issue: 05.12.2023 Date of first issue: 04.11.2014
	Protection of first-aiders Notes to physician		Excessive exposure may aggravate preexisting asthma other respiratory disorders (e.g. emphysema, bronchitis reactive airways dysfunction syndrome). First Aid responders should pay attention to self-protect and use the recommended personal protective equipme when the potential for exposure exists (see section 8). Treat symptomatically and supportively.	
SECTIO	N 5. FIRE-FIGHTING ME	ASL	JRES	
Suit	able extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
	Unsuitable extinguishing media		None known.	
	Specific hazards during fire fighting		Exposure to combustion products may be a hazard to he	
	Hazardous combustion prod- ucts		Carbon oxides Nitrogen oxides (I Sulfur oxides	NOx)
Spe ods	cific extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	cial protective equipment ire-fighters	:		e, wear self-contained breathing apparatus. ective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate



Version 7.3	Revision Date: 28.09.2024	SDS Number: 27929-00026	Date of last issue: 05.12.2023 Date of first issue: 04.11.2014		
		absorbent. Local or nati disposal of tl employed in determine w Sections 13	Clean up remaining materials from spill with suitable		
SECTION	7. HANDLING AND ST	ORAGE			
Tech	nical measures		ering measures under EXPOSURE /PERSONAL PROTECTION section.		
Local	/Total ventilation		h adequate ventilation.		
	e on safe handling	: Do not get o Do not breat Do not swall Avoid contac Handle in ac practice, bas assessment Keep contair Already sens to asthma, a should consu- respiratory in Take care to	n skin or clothing. he mist or vapors. ow. ct with eyes. ccordance with good industrial hygiene and safety sed on the results of the workplace exposure her tightly closed. sitized individuals, and those susceptible llergies, chronic or recurrent respiratory disease, ult their physician regarding working with ritants or sensitizers. prevent spills, waste and minimize release to the		
	itions for safe storage rials to avoid	: Keep in prop Keep tightly Store in acco : Do not store	 environment. Keep in properly labeled containers. Keep tightly closed. Store in accordance with the particular national regulations. Do not store with the following product types: Strong oxidizing agents Gases 		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Cefquinome	118443-89-3	TWA	2000 µg/m3 (OEB 1)	Internal
	Further information: RSEN			

Engineering measures	:	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
		protect products, workers, and the environment.



Version 7.3	Revision Date: 28.09.2024	SDS Number: 27929-00026	Date of last issue: 05.12.2023 Date of first issue: 04.11.2014		
		Laboratory	operations do not require special containment.		
Pers	onal protective equip	ment			
Resp	Respiratory protection		e local exhaust ventilation is not available or assessment demonstrates exposures outside the ded guidelines, use respiratory protection.		
	ilter type	: Particulate	s type		
	Hand protection Material		esistant gloves		
Eye p	Eye protection		Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.		
	and body protection ene measures	: If exposure eye flushin working pla When usin Wash cont The effectin engineering appropriate industrial h			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	off-white
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available



Cefquinome Formulation

Vers 7.3	sion	Revision Date: 28.09.2024		S Number: 029-00026	Date of last issue: 05.12.2023 Date of first issue: 04.11.2014
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	No data available)
	Relative	e vapor density	:	No data available)
	Relative	e density	:	No data available)
	Density	1	:	No data available	9
	Solubili Wat	ty(ies) er solubility	:	No data available	9
	Partitio octanol	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available)
	Decom	position temperature	:	No data available)
	Viscosi Visc	ty cosity, kinematic	:	No data available	•
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	
	Particle Particle	e characteristics e size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.
products		· ·

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.



sion	Revision Date: 28.09.2024	SDS Number: 27929-00026	Date of last issue: 05.12.2023 Date of first issue: 04.11.2014
<u>Comp</u>	oonents:		
Cefqu	uinome:		
-	oral toxicity	: LD50 (Mous	e): > 5.000 mg/kg
Acute	inhalation toxicity	: Remarks: No	o data available
Acute	dermal toxicity	: Remarks: No	o data available
Skin	corrosion/irritation		
Cause	es mild skin irritation.		
Comp	oonents:		
-	uinome:		
Resul	t	: Irritating to s	kin.
Serio	us eye damage/eye	irritation	
Not cl	assified based on ava	ailable information.	
Comp	oonents:		
Cefqu	linome:		
Resul	t	: Irritating to e	yes.
Resp	iratory or skin sensi	itization	
Skin	sensitization		
Not cl	assified based on av	ailable information.	
-	iratory sensitization ause allergy or asthm		athing difficulties if inhaled.
Comp	oonents:		-
Cefqu	uinome:		
Route	s of exposure	: Inhalation	
Resul	t	: May cause s	ensitization by inhalation.
	cell mutagenicity		
	assified based on av	ailable information.	
	nogenicity assified based on ava	ailable information.	
Repro	oductive toxicity		
Not cl	assified based on ava	ailable information.	
	-single exposure assified based on ava	ailable information.	
	oonents:		
	linome:		
-	sment	: May cause r	espiratory irritation.



ersion .3	Revision Date: 28.09.2024		S Number: 929-00026	Date of last issue: 05.12.2023 Date of first issue: 04.11.2014
	-repeated exposure lassified based on availa	ablei	information.	
Aspiration toxicity Not classified based on available in Experience with human exposure			information.	
			re	
Com	oonents:			
Cefq	uinome:			
Inhala	ation	:	tract irritation, F	aphylaxis, bronchospasm, Cough, respiratory Rash, rhinitis, runny nose, sneezing
Skin o	contact	:	Remarks: May produce an allergic reaction. Remarks: May irritate skin.	
Eye c	Eye contact		May produce an allergic reaction. Remarks: May irritate eyes.	
Com	oonents:			
Cefq	uinome:			
Toxic	ity to fish	:	Exposure time:	anio rerio (zebrafish)): > 500 mg/l 96 h ' Test Guideline 203
	ity to daphnia and other ic invertebrates	:	Exposure time:	n magna (Water flea)): > 100 mg/l 48 h Test Guideline 202
Toxic plants	ity to algae/aquatic S	:	Exposure time:	kirchneriella subcapitata (green algae)): 86 mg 72 h Test Guideline 201
			mg/l Exposure time:	okirchneriella subcapitata (green algae)): 37 72 h Test Guideline 201
			Exposure time:	na flos-aquae (cyanobacterium)): 0,041 mg/l 72 h Test Guideline 201
			Exposure time:	ena flos-aquae (cyanobacterium)): 0,014 mg/l 72 h Test Guideline 201



Cefquinome Formulation

ersion 3	Revision Date: 28.09.2024		OS Number: 929-00026	Date of last issue: 05.12.2023 Date of first issue: 04.11.2014	
Toxicity to microorganisms :		:			
			NOEC: 295,3 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209		
Persi	stence and degradabi	lity			
Com	oonents:				
Cefqu	uinome:				
Biode	gradability	:	Biodegradatio		
Stabil	ity in water	÷	Hydrolysis: > Method: FDA		
Bioad	cumulative potential				
Com	oonents:				
Partit	u inome: ion coefficient: n- ol/water	:	log Pow: -2,01	I	
Mobi	lity in soil				
Com	ponents:				
Distri	uinome: bution among environ- al compartments	:	log Koc: 2,76		
	r adverse effects ata available				

Waste from residues	: Do not dispose of waste into sewer.	
	Dispose of in accordance with local regulations.	
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.	
	If not otherwise specified: Dispose of as unused product.	
	ii not otherwise specified. Dispose of as unused product.	

SECTION 14. TRANSPORT INFORMATION

International Regulations



Versior 7.3	n Revision Date: 28.09.2024		929-00026	Date of last issue: 05.12.2023 Date of first issue: 04.11.2014
UN	NRTDG N number oper shipping name	:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID,
Pa La	ass acking group bels wironmentally hazardous	: : :	(Cefquinome) 9 III 9 yes	
UN	TA-DGR N/ID No. oper shipping name	:	UN 3082 Environmentally h (Cefquinome)	nazardous substance, liquid, n.o.s.
Pa La Pa	ass acking group bels acking instruction (cargo craft)	: : :	9 III Miscellaneous 964	
Pa ge	acking instruction (passen- or aircraft) avironmentally hazardous	:	964 yes	
١U	D G-Code N number oper shipping name	:	UN 3082 ENVIRONMENTA N.O.S. (Cefquinome)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
Pa La En	ass acking group bels nS Code arine pollutant		9 III 9 F-A, S-F yes	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legisl mixture	atio	n specific for the substance or
Argentina. Carcinogenic Substances and Agents Registry.	:	Not applicable
Control of precursors and essential chemicals for the preparation of drugs.	:	Not applicable
The ingredients of this product are reported in the	folle	wing inventories:

The ingredients of this product are reported in the following inventories: AICS : not determined



Version 7.3	Revision Date: 28.09.2024	SDS Number: 27929-00026	Date of last issue: 05.12.2023 Date of first issue: 04.11.2014
DSL IECSC	:	: not determine : not determine	-
SECTION 16. OTHER INFORMAT		ATION : 28.09.2024 : dd.mm.yyyy	

Further information

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety	eChem Portal search results and European Chemicals Agen-
Data Sheet	cy, http://echa.europa.eu/

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided



Version	Revision Date:	SDS Number:	Date of last issue: 05.12.2023
7.3	28.09.2024	27929-00026	Date of first issue: 04.11.2014

relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8