

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Chemical product name : Deltamethrin (2.5%) Formulation

**Supplier's company name, address and phone number**

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.  
Menuuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS classification of chemical product**

Flammable liquids : Category 3

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Central nervous system, Immune system)

Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Central nervous system)

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

---

Aspiration hazard : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :     

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H336 May cause drowsiness or dizziness.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.  
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Important symptoms and out- : Cutaneous sensations may occur, such as burning or stinging  
lines of the emergency as- on the face and mucosae. However, these sensations cause no  
sumed lesions and are of a transitory nature (max. 24 hours).  
Vapours may form explosive mixture with air.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

| Chemical name                                             | CAS-No.      | Concentration (% w/w) | ENCS No.      |
|-----------------------------------------------------------|--------------|-----------------------|---------------|
| Solvent naphtha (petroleum), light aromatic               | 64742-95-6   | 54.5                  | 9-1700        |
| Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts | Not Assigned | $\geq 3 - < 10$       | 3-1949        |
| 4-Nonylphenol, branched, ethoxylated                      | 127087-87-0  | 3                     | 7-172         |
| deltamethrin (ISO)                                        | 52918-63-5   | $\geq 2.5 - < 3$      |               |
| 2,6-Di-tert-butyl-p-cresol                                | 128-37-0     | 1                     | 3-540, 9-1805 |

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

**4. FIRST AID MEASURES**

- |                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                              | : In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| If inhaled                                                  | : If inhaled, remove to fresh air.<br>Get medical attention.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| In case of skin contact                                     | : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse.                                                                                                                                                                                                                                                                                                                                                               |
| In case of eye contact                                      | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>If easy to do, remove contact lens, if worn.<br>Get medical attention immediately.                                                                                                                                                                                                                                                                                                                                                                                                                         |
| If swallowed                                                | : If swallowed, DO NOT induce vomiting.<br>If vomiting occurs have person lean forward.<br>Call a physician or poison control centre immediately.<br>Rinse mouth thoroughly with water.<br>Never give anything by mouth to an unconscious person.                                                                                                                                                                                                                                                                                                                                                        |
| Most important symptoms and effects, both acute and delayed | : May be fatal if swallowed and enters airways.<br>Causes skin irritation.<br>May cause an allergic skin reaction.<br>Causes serious eye damage.<br>May cause drowsiness or dizziness.<br>May cause genetic defects.<br>May cause cancer.<br>Suspected of damaging fertility or the unborn child.<br>May cause damage to organs through prolonged or repeated exposure if swallowed.<br>May cause damage to organs through prolonged or repeated exposure if inhaled.<br>This product contains a pyrethroid.<br>Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Notes to physician                                          | : Treat symptomatically and supportively.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

**5. FIREFIGHTING MEASURES**

- |                              |                                                                                              |
|------------------------------|----------------------------------------------------------------------------------------------|
| Suitable extinguishing media | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical |
| Unsuitable extinguishing     | : High volume water jet                                                                      |

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

---

media

- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Bromine compounds  
Sulphur oxides  
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue:             |
| 7.0     | 2024/09/13     | 2656116-00017 | 2024/04/06                      |
|         |                |               | Date of first issue: 2018/03/29 |

mine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**7. HANDLING AND STORAGE****Handling**

- |                         |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Technical measures      | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.<br>Use explosion-proof electrical, ventilating and lighting equipment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Advice on safe handling | : | Do not get on skin or clothing.<br>Do not breathe mist or vapours.<br>Do not swallow.<br>Do not get in eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Non-sparking tools should be used.<br>Keep container tightly closed.<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Avoidance of contact    | : | Oxidizing agents                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Contaminated work clothing should not be allowed out of the workplace.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.                                                                                 |

**Storage**

- |                             |   |                                                                                                                                                                                                                                              |
|-----------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Keep tightly closed.<br>Keep in a cool, well-ventilated place.<br>Store in accordance with the particular national regulations.<br>Keep away from heat and sources of ignition. |
| Materials to avoid          | : | Do not store with the following product types:                                                                                                                                                                                               |

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue:             |
| 7.0     | 2024/09/13     | 2656116-00017 | 2024/04/06                      |
|         |                |               | Date of first issue: 2018/03/29 |

Oxidizing solids  
Oxidizing liquids

Packaging material : Unsuitable material: None known.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Threshold limit value and permissible exposure limits for each component in the work environment**

| Components                                  | CAS-No.                         | Value type<br>(Form of exposure)   | Control parameters / Concentration standard / Permissible concentration | Basis                |
|---------------------------------------------|---------------------------------|------------------------------------|-------------------------------------------------------------------------|----------------------|
| Solvent naphtha (petroleum), light aromatic | 64742-95-6                      | TWA                                | 200 mg/m <sup>3</sup> (total hydrocarbon vapor)                         | ACGIH                |
| deltamethrin (ISO)                          | 52918-63-5                      | TWA                                | 15 µg/m <sup>3</sup> (OEB 3)                                            | Internal             |
|                                             | Further information: DSEN, Skin |                                    |                                                                         |                      |
|                                             |                                 | Wipe limit                         | 100 µg/100 cm <sup>2</sup>                                              | Internal             |
| 2,6-Di-tert-butyl-p-cresol                  | 128-37-0                        | 8h-OEL-M                           | 10 mg/m <sup>3</sup>                                                    | JP ISHL OEL 577-2(2) |
|                                             |                                 | TWA (Inhalable fraction and vapor) | 2 mg/m <sup>3</sup>                                                     | ACGIH                |

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.  
Use explosion-proof electrical, ventilating and lighting equipment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flam-

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

|                          |   |                                                                                                                                                                                                                                                                                                                |
|--------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye protection           | : | Wear safety glasses with side shields or goggles.<br>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.<br>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat.<br>Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.<br>Use appropriate degowning techniques to remove potentially contaminated clothing.                    |

**9. PHYSICAL AND CHEMICAL PROPERTIES**

|                                                                      |   |                   |
|----------------------------------------------------------------------|---|-------------------|
| Physical state                                                       | : | liquid            |
| Colour                                                               | : | yellow            |
| Odour                                                                | : | No data available |
| Odour Threshold                                                      | : | No data available |
| Melting point/freezing point                                         | : | < -5 °C           |
| Boiling point, initial boiling point and boiling range               | : | No data available |
| Flammability (solid, gas)                                            | : | Not applicable    |
| Flammability (liquids)                                               | : | Not applicable    |
| Lower explosion limit and upper explosion limit / flammability limit | : |                   |
| Upper explosion limit / Upper flammability limit                     | : | No data available |
| Lower explosion limit / Lower flammability limit                     | : | No data available |
| Flash point                                                          | : | 40 °C             |
| Decomposition temperature                                            | : | No data available |
| pH                                                                   | : | 4 - 5             |
| Evaporation rate                                                     | : | No data available |
| Auto-ignition temperature                                            | : | No data available |
| Viscosity                                                            | : |                   |
| Viscosity, kinematic                                                 | : | No data available |

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

---

|                                        |   |                                                          |
|----------------------------------------|---|----------------------------------------------------------|
| Solubility(ies)                        |   |                                                          |
| Water solubility                       | : | partly miscible                                          |
| Partition coefficient: n-octanol/water | : | Not applicable                                           |
| Vapour pressure                        | : | No data available                                        |
| Density and / or relative density      |   |                                                          |
| Relative density                       | : | No data available                                        |
| Density                                | : | 0.909 - 0.927 g/cm <sup>3</sup> (20 °C)                  |
| Relative vapour density                | : | No data available                                        |
| Explosive properties                   | : | Not explosive                                            |
| Oxidizing properties                   | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight                       | : | No data available                                        |
| Particle characteristics               |   |                                                          |
| Particle size                          | : | Not applicable                                           |

---

**10. STABILITY AND REACTIVITY**

|                                    |   |                                                                                                                         |
|------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : | Not classified as a reactivity hazard.                                                                                  |
| Chemical stability                 | : | Stable under normal conditions.                                                                                         |
| Possibility of hazardous reactions | : | Flammable liquid and vapour.<br>Vapours may form explosive mixture with air.<br>Can react with strong oxidizing agents. |
| Conditions to avoid                | : | Heat, flames and sparks.                                                                                                |
| Incompatible materials             | : | Oxidizing agents                                                                                                        |
| Hazardous decomposition products   | : | No hazardous decomposition products are known.                                                                          |

---

**11. TOXICOLOGICAL INFORMATION**

|                                          |   |                                                        |
|------------------------------------------|---|--------------------------------------------------------|
| Information on likely routes of exposure | : | Inhalation<br>Skin contact<br>Ingestion<br>Eye contact |
|------------------------------------------|---|--------------------------------------------------------|

**Acute toxicity**

Not classified based on available information.

**Product:**

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Solvent naphtha (petroleum), light aromatic:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat): 4,445 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

**4-Nonylphenol, branched, ethoxylated:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

**deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

---

**2,6-Di-tert-butyl-p-cresol:**

|                       |                                                                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity   | : LD50 (Rat): > 6,000 mg/kg<br>Method: OECD Test Guideline 401                                                                      |
| Acute dermal toxicity | : LD50 (Rat): > 2,000 mg/kg<br>Method: OECD Test Guideline 402<br>Assessment: The substance or mixture has no acute dermal toxicity |

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Solvent naphtha (petroleum), light aromatic:**

|         |                           |
|---------|---------------------------|
| Species | : Rabbit                  |
| Method  | : OECD Test Guideline 404 |
| Result  | : Skin irritation         |

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

|         |                           |
|---------|---------------------------|
| Species | : Rabbit                  |
| Method  | : OECD Test Guideline 404 |
| Result  | : Skin irritation         |

**4-Nonylphenol, branched, ethoxylated:**

|         |                                        |
|---------|----------------------------------------|
| Species | : Rabbit                               |
| Method  | : OECD Test Guideline 404              |
| Result  | : No skin irritation                   |
| Remarks | : Based on data from similar materials |

**deltamethrin (ISO):**

|         |                      |
|---------|----------------------|
| Species | : Rabbit             |
| Result  | : No skin irritation |

**2,6-Di-tert-butyl-p-cresol:**

|         |                                        |
|---------|----------------------------------------|
| Species | : Rabbit                               |
| Method  | : OECD Test Guideline 404              |
| Result  | : No skin irritation                   |
| Remarks | : Based on data from similar materials |

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Solvent naphtha (petroleum), light aromatic:**

|         |                     |
|---------|---------------------|
| Species | : Rabbit            |
| Result  | : No eye irritation |

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

---

|| Method : OECD Test Guideline 405

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

|| Species : Rabbit  
|| Result : Irreversible effects on the eye  
|| Method : OECD Test Guideline 405

**4-Nonylphenol, branched, ethoxylated:**

|| Species : Rabbit  
|| Result : No eye irritation  
|| Method : OECD Test Guideline 405  
|| Remarks : Based on data from similar materials

**deltamethrin (ISO):**

|| Species : Rabbit  
|| Result : Moderate eye irritation

**2,6-Di-tert-butyl-p-cresol:**

|| Species : Rabbit  
|| Result : No eye irritation  
|| Method : OECD Test Guideline 405  
|| Remarks : Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Solvent naphtha (petroleum), light aromatic:**

|| Test Type : Buehler Test  
|| Exposure routes : Skin contact  
|| Species : Guinea pig  
|| Result : negative

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

|| Test Type : Magnusson-Kligman-Test  
|| Exposure routes : Skin contact  
|| Species : Guinea pig  
|| Method : OECD Test Guideline 406  
|| Remarks : Based on data from similar materials

**4-Nonylphenol, branched, ethoxylated:**

|| Test Type : Maximisation Test

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

|                 |                                        |
|-----------------|----------------------------------------|
| Exposure routes | : Skin contact                         |
| Species         | : Guinea pig                           |
| Result          | : negative                             |
| Remarks         | : Based on data from similar materials |

**deltamethrin (ISO):**

|                 |                     |
|-----------------|---------------------|
| Test Type       | : Maximisation Test |
| Exposure routes | : Dermal            |
| Species         | : Guinea pig        |
| Result          | : negative          |

|                 |                                          |
|-----------------|------------------------------------------|
| Test Type       | : Human repeat insult patch test (HRIPT) |
| Exposure routes | : Dermal                                 |
| Species         | : Humans                                 |
| Result          | : positive                               |

**2,6-Di-tert-butyl-p-cresol:**

|                 |                                          |
|-----------------|------------------------------------------|
| Test Type       | : Human repeat insult patch test (HRIPT) |
| Exposure routes | : Skin contact                           |
| Species         | : Humans                                 |
| Result          | : negative                               |

**Germ cell mutagenicity**

May cause genetic defects.

**Components:****Solvent naphtha (petroleum), light aromatic:**

|                                     |                                                                                                                                                           |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro               | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br><br>Test Type: In vitro mammalian cell gene mutation test<br>Result: positive |
| Genotoxicity in vivo                | : Test Type: Sister chromatid exchange analysis in spermatogonia<br>Species: Mouse<br>Application Route: Intraperitoneal injection<br>Result: positive    |
| Germ cell mutagenicity - Assessment | : Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals                                                                       |

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

|                       |                                                                                                                                                                           |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Method: Directive 67/548/EEC, Annex, B.13/14<br>Result: negative<br>Remarks: Based on data from similar materials |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

**4-Nonylphenol, branched, ethoxylated:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

**deltamethrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Test system: Escherichia coli  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Concentration: LOAEL: 20 mg/kg  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

**2,6-Di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

---

|                      |                                                                                                  |
|----------------------|--------------------------------------------------------------------------------------------------|
| Genotoxicity in vivo | Result: negative                                                                                 |
|                      | Test Type: In vitro mammalian cell gene mutation test                                            |
|                      | Result: negative                                                                                 |
|                      | Test Type: Chromosome aberration test in vitro                                                   |
|                      | Result: negative                                                                                 |
|                      | : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) |
|                      | Species: Rat                                                                                     |
|                      | Application Route: Ingestion                                                                     |
|                      | Result: negative                                                                                 |

**Carcinogenicity**

May cause cancer.

**Components:****Solvent naphtha (petroleum), light aromatic:**

|                   |                |
|-------------------|----------------|
| Species           | : Mouse        |
| Application Route | : Skin contact |
| Exposure time     | : 2 Years      |
| Result            | : positive     |

|                              |                                                                |
|------------------------------|----------------------------------------------------------------|
| Carcinogenicity - Assessment | : Sufficient evidence of carcinogenicity in animal experiments |
|------------------------------|----------------------------------------------------------------|

**deltamethrin (ISO):**

|                   |                          |
|-------------------|--------------------------|
| Species           | : Mouse, male and female |
| Application Route | : oral (feed)            |
| Exposure time     | : 104 weeks              |
| NOAEL             | : 8 mg/kg body weight    |
| LOAEL             | : 4 mg/kg body weight    |
| Result            | : positive               |
| Target Organs     | : Lymph nodes            |

|                   |                        |
|-------------------|------------------------|
| Species           | : Rat, male and female |
| Application Route | : oral (feed)          |
| Exposure time     | : 2 Years              |
| Result            | : negative             |

|                   |                        |
|-------------------|------------------------|
| Species           | : Dog, male and female |
| Application Route | : oral (feed)          |
| Exposure time     | : 2 Years              |
| NOAEL             | : 1 mg/kg body weight  |
| Result            | : negative             |

**2,6-Di-tert-butyl-p-cresol:**

|                   |             |
|-------------------|-------------|
| Species           | : Rat       |
| Application Route | : Ingestion |
| Exposure time     | : 22 Months |

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

Result : negative

**Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

**4-Nonylphenol, branched, ethoxylated:**

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

**deltamethrin (ISO):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
Early Embryonic Development: NOAEL: 50 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity  
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 1 mg/kg body weight  
Symptoms: Effects on fertility  
Target Organs: Testes

Effects on foetal development : Test Type: Development  
Species: Mouse  
Application Route: oral (gavage)  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Skeletal malformations

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat, female  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Symptoms: No effects on foetal development

Test Type: Development  
Species: Rabbit, female  
Application Route: oral (gavage)  
Developmental Toxicity: NOAEL: 16 mg/kg body weight  
Symptoms: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

**2,6-Di-tert-butyl-p-cresol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**STOT - single exposure**

May cause drowsiness or dizziness.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Assessment : May cause drowsiness or dizziness.

**deltamethrin (ISO):**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

**Components:****deltamethrin (ISO):**

Exposure routes : Ingestion  
Target Organs : Central nervous system, Immune system  
Assessment : Causes damage to organs through prolonged or repeated

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

---

|| exposure.

|| Exposure routes : inhalation (dust/mist/fume)  
|| Target Organs : Central nervous system  
|| Assessment : Causes damage to organs through prolonged or repeated exposure.

**2,6-Di-tert-butyl-p-cresol:**

|| Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

**Repeated dose toxicity****Components:****Solvent naphtha (petroleum), light aromatic:**

|| Species : Rat  
|| LOAEL : 500 mg/kg  
|| Application Route : Ingestion  
|| Exposure time : 28 Days

**4-Nonylphenol, branched, ethoxylated:**

|| Species : Rat  
|| LOAEL : 150 mg/kg  
|| Application Route : Ingestion  
|| Exposure time : 90 Days  
|| Method : OPPTS 870.3100  
|| Remarks : Based on data from similar materials

**deltamethrin (ISO):**

|| Species : Rat, male and female  
|| NOAEL : 1 mg/kg  
|| LOAEL : 2.5 mg/kg  
|| Application Route : Oral  
|| Exposure time : 13 Weeks  
|| Target Organs : Nervous system  
|| Symptoms : hyperexcitability

|| Species : Rat  
|| LOAEL : 3 mg/m<sup>3</sup>  
|| Application Route : inhalation (dust/mist/fume)  
|| Exposure time : 2 wk / 5 d/wk / 6 h/d  
|| Symptoms : Local irritation, respiratory tract irritation

|| Species : Dog  
|| NOAEL : 0.1 mg/kg  
|| LOAEL : 1 mg/kg  
|| Application Route : Oral  
|| Exposure time : 13 Weeks  
|| Target Organs : Nervous system

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

---

Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation

Species : Rat  
NOAEL : 14 mg/kg  
LOAEL : 54 mg/kg  
Application Route : Oral  
Exposure time : 91 d  
Target Organs : Nervous system

Species : Mouse  
LOAEL : 6 mg/kg  
Application Route : Oral  
Exposure time : 12 Weeks  
Target Organs : Immune system  
Symptoms : immune system effects

**2,6-Di-tert-butyl-p-cresol:**

Species : Rat  
NOAEL : 25 mg/kg  
Application Route : Ingestion  
Exposure time : 22 Months

**Aspiration toxicity**

May be fatal if swallowed and enters airways.

**Product:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Components:****Solvent naphtha (petroleum), light aromatic:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Experience with human exposure****Components:****deltamethrin (ISO):**

Inhalation : Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching

Skin contact : Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions

Ingestion : Symptoms: muscle pain, Small pupils

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

**II****12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Solvent naphtha (petroleum), light aromatic:**

|                                                                        |                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                                       | : LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l<br>Exposure time: 96 h<br>Test substance: Water Accommodated Fraction                                                                                                                                                                                                                           |
| Toxicity to daphnia and other aquatic invertebrates                    | : EL50 (Daphnia magna (Water flea)): 4.5 mg/l<br>Exposure time: 48 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 202                                                                                                                                                                                                  |
| Toxicity to algae/aquatic plants                                       | : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l<br>Exposure time: 96 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 201<br><br>NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l<br>Exposure time: 96 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 201 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOELR (Daphnia magna (Water flea)): 2.6 mg/l<br>Exposure time: 21 d<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 211                                                                                                                                                                                                 |

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

|                                                     |                                                                                                                                                                                                                              |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | : LC50 : > 1 - < 10 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203                                                                                                                                           |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202<br>Remarks: Based on data from similar materials                                                                |
| Toxicity to algae/aquatic plants                    | : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l<br>Exposure time: 96 h<br>Remarks: Based on data from similar materials<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l |

## Deltamethrin (2.5%) Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue:             |
| 7.0     | 2024/09/13     | 2656116-00017 | 2024/04/06                      |
|         |                |               | Date of first issue: 2018/03/29 |

|                                                                        |                                                                                                                                      |
|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
|                                                                        | Exposure time: 96 h                                                                                                                  |
|                                                                        | Remarks: Based on data from similar materials                                                                                        |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l<br>Exposure time: 72 d<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): > 1 mg/l<br>Exposure time: 21 d<br>Remarks: Based on data from similar materials                |

**4-Nonylphenol, branched, ethoxylated:**

|                                                                        |                                                                                                                                                                             |
|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                                       | : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l<br>Exposure time: 96 h<br>Remarks: Based on data from similar materials                                       |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials                                            |
| Toxicity to algae/aquatic plants                                       | : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials |
|                                                                        | EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials         |
| M-Factor (Acute aquatic toxicity)                                      | : 1                                                                                                                                                                         |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l<br>Exposure time: 100 d<br>Remarks: Based on data from similar materials                                         |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l<br>Exposure time: 28 d<br>Remarks: Based on data from similar materials                                     |
| M-Factor (Chronic aquatic toxicity)                                    | : 10                                                                                                                                                                        |

**deltamethrin (ISO):**

|                  |                                                                                         |
|------------------|-----------------------------------------------------------------------------------------|
| Toxicity to fish | : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l<br>Exposure time: 96 h |
|                  | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l<br>Exposure time: 96 h         |

## Deltamethrin (2.5%) Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue:             |
| 7.0     | 2024/09/13     | 2656116-00017 | 2024/04/06                      |
|         |                |               | Date of first issue: 2018/03/29 |

|                                                                        |   |                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l<br>Exposure time: 48 h<br><br>EC50 (Daphnia magna (Water flea)): 0.0035 mg/l<br>Exposure time: 48 h<br><br>LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l<br>Exposure time: 96 h |
| Toxicity to algae/aquatic plants                                       | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: No toxicity at the limit of solubility                                                                      |
| M-Factor (Acute aquatic toxicity)                                      | : | 1,000,000                                                                                                                                                                                                                                          |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l<br>Exposure time: 36 d<br><br>NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l<br>Exposure time: 260 d                                                                        |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.0041 µg/l<br>Exposure time: 21 d                                                                                                                                                                              |
| M-Factor (Chronic aquatic toxicity)                                    | : | 1,000,000                                                                                                                                                                                                                                          |

**2,6-Di-tert-butyl-p-cresol:**

|                                                     |   |                                                                                                                                                                                                                                                               |
|-----------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | : | LC50 (Danio rerio (zebra fish)): > 0.57 mg/l<br>Exposure time: 96 h<br>Method: Directive 67/548/EEC, Annex V, C.1.                                                                                                                                            |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.48 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202                                                                                                                                                        |
| Toxicity to algae/aquatic plants                    | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
| M-Factor (Acute aquatic toxicity)                   | : | 1                                                                                                                                                                                                                                                             |

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue:             |
| 7.0     | 2024/09/13     | 2656116-00017 | 2024/04/06                      |
|         |                |               | Date of first issue: 2018/03/29 |

|                                                                        |   |                                                                                                                        |
|------------------------------------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC ( <i>Oryzias latipes</i> (Japanese medaka)): 0.053 mg/l<br>Exposure time: 30 d<br>Method: OECD Test Guideline 210 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC ( <i>Daphnia magna</i> (Water flea)): 0.316 mg/l<br>Exposure time: 21 d                                           |
| M-Factor (Chronic aquatic toxicity)                                    | : | 1                                                                                                                      |
| Toxicity to microorganisms                                             | : | EC50: > 10,000 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209                                           |

**Persistence and degradability****Components:****Solvent naphtha (petroleum), light aromatic:**

|                  |   |                                                                                  |
|------------------|---|----------------------------------------------------------------------------------|
| Biodegradability | : | Result: Inherently biodegradable.<br>Biodegradation: 94 %<br>Exposure time: 25 d |
|------------------|---|----------------------------------------------------------------------------------|

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

|                  |   |                                                                                                                    |
|------------------|---|--------------------------------------------------------------------------------------------------------------------|
| Biodegradability | : | Result: Readily biodegradable.<br>Biodegradation: 100 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301B |
|------------------|---|--------------------------------------------------------------------------------------------------------------------|

**4-Nonylphenol, branched, ethoxylated:**

|                  |   |                                                                                     |
|------------------|---|-------------------------------------------------------------------------------------|
| Biodegradability | : | Result: Not readily biodegradable.<br>Remarks: Based on data from similar materials |
|------------------|---|-------------------------------------------------------------------------------------|

**deltamethrin (ISO):**

|                    |   |                        |
|--------------------|---|------------------------|
| Stability in water | : | Hydrolysis: 0 % (30 d) |
|--------------------|---|------------------------|

**2,6-Di-tert-butyl-p-cresol:**

|                  |   |                                                                                                                        |
|------------------|---|------------------------------------------------------------------------------------------------------------------------|
| Biodegradability | : | Result: Not readily biodegradable.<br>Biodegradation: 4.5 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301C |
|------------------|---|------------------------------------------------------------------------------------------------------------------------|

**Bioaccumulative potential****Components:****Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

|                                        |   |               |
|----------------------------------------|---|---------------|
| Partition coefficient: n-octanol/water | : | log Pow: 2.89 |
|----------------------------------------|---|---------------|

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

---

**deltamethrin (ISO):**

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

**2,6-Di-tert-butyl-p-cresol:**

Bioaccumulation : Species: *Cyprinus carpio* (Carp)  
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

**Mobility in soil****Components:****deltamethrin (ISO):**

Distribution among environmental compartments : log Koc: 7.2

**Hazardous to the ozone layer**

Not applicable

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3295  
Proper shipping name : HYDROCARBONS, LIQUID, N.O.S.  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : no

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

**IATA-DGR**

|                                          |                                |
|------------------------------------------|--------------------------------|
| UN/ID No.                                | : UN 3295                      |
| Proper shipping name                     | : Hydrocarbons, liquid, n.o.s. |
| Class                                    | : 3                            |
| Packing group                            | : III                          |
| Labels                                   | : Flammable Liquids            |
| Packing instruction (cargo aircraft)     | : 366                          |
| Packing instruction (passenger aircraft) | : 355                          |

**IMDG-Code**

|                      |                                                                                    |
|----------------------|------------------------------------------------------------------------------------|
| UN number            | : UN 3295                                                                          |
| Proper shipping name | : HYDROCARBONS, LIQUID, N.O.S.<br>(deltamethrin (ISO), 2,6-Di-tert-butyl-p-cresol) |
| Class                | : 3                                                                                |
| Packing group        | : III                                                                              |
| Labels               | : 3                                                                                |
| EmS Code             | : F-E, S-D                                                                         |
| Marine pollutant     | : yes                                                                              |

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

Refer to section 15 for specific national regulation.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

|          |       |
|----------|-------|
| ERG Code | : 128 |
|----------|-------|

**15. REGULATORY INFORMATION****Related Regulations****Fire Service Law**

Group 4, Type 2 petroleum, Water insoluble liquid, (1000 litre), Hazardous rank III

**Chemical Substance Control Law**

Priority Assessment Chemical Substance

| Chemical name                                      | Number |
|----------------------------------------------------|--------|
| alpha-(Nonylphenyl)-omega-hydroxypoly(oxyethylene) | 86     |
| 2,6-Di-tert-butyl-4-methylphenol                   | 64     |

**Industrial Safety and Health Law****Harmful Substances Prohibited from Manufacture**

Not applicable

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

**Harmful Substances Required Permission for Manufacture**

Not applicable

**Substances Prevented From Impairment of Health**

Not applicable

**Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity**

Not applicable

**Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity**

Not applicable

**Substances Subject to be Notified Names**

Article 57-2 (Enforcement Order Table 9)

| Chemical name              | Concentration (%) | Remarks |
|----------------------------|-------------------|---------|
| Petroleum naphtha          | 54.5              | -       |
| 2,6-Di-tert-butyl-4-cresol | >=1 - <10         | -       |

**Substances Subject to be Indicated Names**

Article 57 (Enforcement Order Article 18)

| Chemical name              | Remarks |
|----------------------------|---------|
| Petroleum naphtha          | -       |
| 2,6-Di-tert-butyl-4-cresol | -       |

**Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)**

Not applicable

**Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)**

Not applicable

**Ordinance on Prevention of Hazards Due to Specified Chemical Substances**

Not applicable

**Ordinance on Prevention of Lead Poisoning**

Not applicable

**Ordinance on Prevention of Tetraalkyl Lead Poisoning**

Not applicable

**Ordinance on Prevention of Organic Solvent Poisoning**

Organic Solvents Class 3

**Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)**

Inflammable Substance

**Poisonous and Deleterious Substances Control Law**

Not applicable

**Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof****Class I Designated Chemical Substances**

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

| Chemical name                                                                 | Administration number | Concentration (%) |
|-------------------------------------------------------------------------------|-----------------------|-------------------|
| Poly(oxyethylene) alkylphenyl ether (limited to those the alkyl group is C=9) | 410                   | 3.0               |
| 2,6-Di-tert-butyl-4-cresol                                                    | 207                   | 1.0               |

**High Pressure Gas Safety Act**

Not applicable

**Explosive Control Law**

Not applicable

**Vessel Safety Law**

Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

**Aviation Law**

Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

**Marine Pollution and Sea Disaster Prevention etc Law**

Bulk transportation : Noxious liquid substance(Category Y)

Pack transportation : Classified as marine pollutant

**Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

**Waste Disposal and Public Cleansing Law**

Specially Controlled Industrial Waste

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Deltamethrin (2.5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

---

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
JP ISHL OEL 577-2(2) : Concentration standard (Value set by the Minister of Health, Labour and Welfare stipulated under the Ministerial Ordinance Article 577-2(2))

ACGIH / TWA : 8-hour, time-weighted average  
JP ISHL OEL 577-2(2) / 8h-OEL-M : 8-hour Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET



## Deltamethrin (2.5%) Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/04/06  |
| 7.0     | 2024/09/13     | 2656116-00017 | Date of first issue: 2018/03/29 |

---

JP / EN