

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Deltamethrin Pour-On Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Veterinary product

Recommended restrictions
on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Kilsheelan
Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person
responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Hazardous components which must be listed on the label:

deltamethrin (ISO)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
deltamethrin (ISO)	52918-63-5 258-256-6 607-319-00-X	Acute Tox. 3; H301 Acute Tox. 3; H331 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Repr. 2; H361fd STOT SE 3; H335 STOT RE 1; H372	>= 0,25 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version 8.0 Revision Date: 28.09.2024 SDS Number: 657791-00026 Date of last issue: 06.04.2024
Date of first issue: 02.05.2016

		(Central nervous system, Immune system) STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1.000.000 M-Factor (Chronic aquatic toxicity): 1.000.000	
Formaldehyde	50-00-0 200-001-8 605-001-00-5 01-2119488953-20	Flam. Gas 1B; H221 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Muta. 2; H341 Carc. 1B; H350 STOT SE 3; H335 specific concentration limit Skin Corr. 1B; H314 ≥ 25 % Skin Irrit. 2; H315 5 - < 25 % Eye Irrit. 2; H319 5 - < 25 % STOT SE 3; H335 ≥ 5 % Skin Sens. 1A; H317 ≥ 0,2 % Acute toxicity estimate Acute oral toxicity: 100 mg/kg Acute inhalation	< 0,1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version 8.0	Revision Date: 28.09.2024	SDS Number: 657791-00026	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
----------------	------------------------------	-----------------------------	---

		toxicity (gas): 100 ppm Acute dermal toxicity: 270 mg/kg	
--	--	---	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | | |
|----------------------------|---|---|
| General advice | : | In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| If inhaled | : | If inhaled, remove to fresh air.
Get medical attention. |
| In case of skin contact | : | In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|-------|---|---|
| Risks | : | May cause an allergic skin reaction.

This product contains a pyrethroid.
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning. |
|-------|---|---|

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|---|
| Treatment | : | Treat symptomatically and supportively. |
|-----------|---|---|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate contain-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|-------------------------|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Avoid breathing mist or vapours.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|---|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Store in accordance with the particular national regulations. |
| Advice on common storage | : | Do not store with the following product types:
Strong oxidizing agents
Gases |

7.3 Specific end use(s)

- | | | |
|-----------------|---|-------------------|
| Specific use(s) | : | No data available |
|-----------------|---|-------------------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version 8.0 Revision Date: 28.09.2024 SDS Number: 657791-00026 Date of last issue: 06.04.2024
Date of first issue: 02.05.2016

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	TWA	25 ppm 79 mg/m ³	FOR-2011-12-06-1358
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m ³ (OEB 3)	Internal
	Further information: DSEN, Skin			
		Wipe limit	100 µg/100 cm ²	Internal
Formaldehyde	50-00-0	TWA	0,3 ppm 0,37 mg/m ³	FOR-2011-12-06-1358
	Further information: Substances considered to be carcinogenic, Substances considered to evoke allergies when coming into touch with the eyes or air-ways or evoking allergies after coming into contact with the skin			
		STEL	0,6 ppm 0,74 mg/m ³	FOR-2011-12-06-1358
	Further information: Substances considered to be carcinogenic, Substances considered to evoke allergies when coming into touch with the eyes or air-ways or evoking allergies after coming into contact with the skin			
		TWA	0,3 ppm 0,37 mg/m ³	2004/37/EC
	Further information: Dermal sensitisation, Carcinogens or mutagens			
		STEL	0,6 ppm 0,74 mg/m ³	2004/37/EC
	Further information: Dermal sensitisation, Carcinogens or mutagens			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Inhalation	Long-term local effects	10 mg/m ³
	Workers	Inhalation	Long-term systemic effects	168 mg/m ³
	Consumers	Inhalation	Long-term local effects	10 mg/m ³
	Consumers	Inhalation	Long-term systemic effects	50 mg/m ³
Formaldehyde	Workers	Inhalation	Long-term systemic effects	9 mg/m ³
	Workers	Inhalation	Long-term local effects	0,375 mg/m ³
	Workers	Inhalation	Acute local effects	0,75 mg/m ³
	Workers	Skin contact	Long-term systemic effects	240 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0,037 mg/cm ²
	Consumers	Inhalation	Long-term systemic	3,2 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version 8.0 Revision Date: 28.09.2024 SDS Number: 657791-00026 Date of last issue: 06.04.2024
Date of first issue: 02.05.2016

			effects	
	Consumers	Inhalation	Long-term local effects	0,1 mg/m3
	Consumers	Skin contact	Long-term systemic effects	102 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0,012 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	4,1 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57,2 mg/kg dry weight (d.w.)
Formaldehyde	Soil	50 mg/kg dry weight (d.w.)
	Fresh water	0,44 mg/l
	Freshwater - intermittent	4,44 mg/l
	Marine water	0,44 mg/l
	Sewage treatment plant	0,19 mg/l
	Fresh water sediment	2,3 mg/kg dry weight (d.w.)
	Marine sediment	2,3 mg/kg dry weight (d.w.)
	Soil	0,2 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version 8.0	Revision Date: 28.09.2024	SDS Number: 657791-00026	Date of last issue: 06.04.2024 Date of first issue: 02.05.2016
----------------	------------------------------	-----------------------------	---

Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to NS EN 143
Filter type	:	Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	Aqueous solution, suspension
Colour	:	white
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	Not applicable

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Molecular weight	:	Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Can react with strong oxidizing agents.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure :
Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Components:

deltamethrin (ISO):

Acute oral toxicity	: LD50 (Rat): 66,7 mg/kg LD50 (Rat): 9 - 139 mg/kg LD50 (Mouse): 19 - 34 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0,8 mg/l Exposure time: 2 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): 2.000 mg/kg LD50 (Rat): > 800 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 2,5 mg/kg Application Route: Intravenous LD50 (Mouse): 10 mg/kg Application Route: Intraperitoneal

Formaldehyde:

Acute oral toxicity	: Acute toxicity estimate: 100 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.
Acute inhalation toxicity	: Acute toxicity estimate (Rat): 100 ppm Exposure time: 4 h Test atmosphere: gas

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

deltamethrin (ISO):

Species	: Rabbit
Result	: No skin irritation

Formaldehyde:

Result	: Corrosive after 3 minutes to 1 hour of exposure
Remarks	: Based on national or regional regulation.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

deltamethrin (ISO):

Species	: Rabbit
Result	: Moderate eye irritation

Formaldehyde:

Result	: Irreversible effects on the eye
Remarks	: Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

deltamethrin (ISO):

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: negative

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Dermal
Species	: Humans
Result	: positive

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

Formaldehyde:

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: positive
Assessment	: Probability or evidence of high skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: DNA Repair Test system: Escherichia coli Result: negative Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative Test Type: sister chromatid exchange assay Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative

Formaldehyde:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive Test Type: In vitro mammalian cell gene mutation test
-----------------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

	Result: positive
	Test Type: Chromosome aberration test in vitro
	Result: positive
Genotoxicity in vivo	: Test Type: In vivo mammalian alkaline comet assay
	Species: Mouse
	Application Route: Inhalation
	Result: positive
Germ cell mutagenicity- Assessment	: Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

Not classified based on available information.

Components:

deltamethrin (ISO):

Species	: Mouse, male and female
Application Route	: oral (feed)
Exposure time	: 104 weeks
NOAEL	: 8 mg/kg body weight
LOAEL	: 4 mg/kg body weight
Result	: positive
Target Organs	: Lymph nodes

Species	: Rat, male and female
Application Route	: oral (feed)
Exposure time	: 2 Years
Result	: negative

Species	: Dog, male and female
Application Route	: oral (feed)
Exposure time	: 2 Years
NOAEL	: 1 mg/kg body weight
Result	: negative

Formaldehyde:

Species	: Rat
Application Route	: inhalation (gas)
Exposure time	: 28 Months
Result	: positive

Carcinogenicity - Assessment	: Sufficient evidence of carcinogenicity in animal experiments
------------------------------	--

Reproductive toxicity

Not classified based on available information.

Components:

deltamethrin (ISO):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: oral (feed) Early Embryonic Development: NOAEL: 50 mg/kg body weight Symptoms: No effects on fertility, Embryo-foetal toxicity Remarks: Significant toxicity observed in testing Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight Symptoms: No effects on fertility, Embryo-foetal toxicity Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: LOAEL: 1 mg/kg body weight Symptoms: Effects on fertility Target Organs: Testes
Effects on foetal development	: Test Type: Development Species: Mouse Application Route: oral (gavage) Developmental Toxicity: LOAEL: 1 mg/kg body weight Result: Skeletal malformations Remarks: Maternal toxicity observed. Test Type: Development Species: Rat, female Developmental Toxicity: NOAEL: 10 mg/kg body weight Symptoms: No effects on foetal development Test Type: Development Species: Rabbit, female Application Route: oral (gavage) Developmental Toxicity: NOAEL: 16 mg/kg body weight Symptoms: No effects on foetal development
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Formaldehyde:

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (gas) Result: negative
-------------------------------	---

STOT - single exposure

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

Components:

deltamethrin (ISO):

|| Assessment : May cause respiratory irritation.

Formaldehyde:

|| Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

deltamethrin (ISO):

|| Exposure routes : Ingestion
|| Target Organs : Central nervous system, Immune system
|| Assessment : Causes damage to organs through prolonged or repeated exposure.

|| Exposure routes : inhalation (dust/mist/fume)
|| Target Organs : Central nervous system
|| Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

deltamethrin (ISO):

|| Species : Rat, male and female
|| NOAEL : 1 mg/kg
|| LOAEL : 2,5 mg/kg
|| Application Route : Oral
|| Exposure time : 13 Weeks
|| Target Organs : Nervous system
|| Symptoms : hyperexcitability

|| Species : Rat
|| LOAEL : 3 mg/m3
|| Application Route : inhalation (dust/mist/fume)
|| Exposure time : 2 wk / 5 d/wk / 6 h/d
|| Symptoms : Local irritation, respiratory tract irritation

|| Species : Dog
|| NOAEL : 0,1 mg/kg
|| LOAEL : 1 mg/kg
|| Application Route : Oral
|| Exposure time : 13 Weeks
|| Target Organs : Nervous system
|| Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

Species	: Rat
NOAEL	: 14 mg/kg
LOAEL	: 54 mg/kg
Application Route	: Oral
Exposure time	: 91 d
Target Organs	: Nervous system

Species	: Mouse
LOAEL	: 6 mg/kg
Application Route	: Oral
Exposure time	: 12 Weeks
Target Organs	: Immune system
Symptoms	: immune system effects

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

deltamethrin (ISO):

Inhalation	: Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	: Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	: Symptoms: muscle pain, Small pupils

SECTION 12: Ecological information

12.1 Toxicity

Components:

deltamethrin (ISO):

Toxicity to fish	: LC50 (Cyprinodon variegatus (sheepshead minnow)): 0,00048 mg/l Exposure time: 96 h
------------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

		LC50 (Oncorhynchus mykiss (rainbow trout)): 0,00039 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Mysidopsis bahia (opossum shrimp)): 0,0037 µg/l Exposure time: 48 h
		EC50 (Daphnia magna (Water flea)): 0,0035 mg/l Exposure time: 48 h
		LC50 (Gammarus fasciatus (freshwater shrimp)): 0,0003 µg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic toxicity)	:	1.000.000
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,000022 mg/l Exposure time: 36 d Species: Pimephales promelas (fathead minnow)
		NOEC: 0,000017 mg/l Exposure time: 260 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,0041 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	1.000.000

Formaldehyde:

Toxicity to fish	:	LC50 (Morone saxatilis (striped bass)): 6,7 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 5,8 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 4,89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50 (activated sludge): 19 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 1,04 mg/l Exposure time: 21 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

Acute toxicity)

Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

12.2 Persistence and degradability

Components:

deltamethrin (ISO):

Stability in water : Hydrolysis: 0 %(30 d)

Formaldehyde:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 99 %
Exposure time: 28 d
Method: OECD Test Guideline 301A

12.3 Bioaccumulative potential

Components:

deltamethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1.800

Partition coefficient: n-octanol/water : log Pow: 4,6

Formaldehyde:

Partition coefficient: n-octanol/water : log Pow: 0,35
Remarks: Calculation

12.4 Mobility in soil

Components:

deltamethrin (ISO):

Distribution among environmental compartments : log Koc: 7,2

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (deltamethrin (ISO))
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (deltamethrin (ISO))
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (deltamethrin (ISO))
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (deltamethrin (ISO))
IATA	: Environmentally hazardous substance, liquid, n.o.s. (deltamethrin (ISO))

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
RID	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous
IATA (Passenger)	
Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

14.5 Environmental hazards

ADN	
Environmentally hazardous	: yes
ADR	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Number on list 72: Formaldehyde

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Number on list 77: Formaldehyde

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

REACH - List of substances subject to authorisation : Not applicable
(Annex XIV)
Regulation (EC) on substances that deplete the ozone layer : Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1	ENVIRONMENTAL HAZARDS	Quantity 1 100 t	Quantity 2 200 t
----	--------------------------	---------------------	---------------------

Other regulations:

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H221	: Flammable gas.
H301	: Toxic if swallowed.
H311	: Toxic in contact with skin.
H314	: Causes severe skin burns and eye damage.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H330	: Fatal if inhaled.
H331	: Toxic if inhaled.
H335	: May cause respiratory irritation.
H341	: Suspected of causing genetic defects.
H350	: May cause cancer.
H361fd	: Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	: Causes damage to organs through prolonged or repeated

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

H372 : exposure if inhaled.
: Causes damage to organs through prolonged or repeated exposure if swallowed.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Carc.	: Carcinogenicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Gas	: Flammable gases
Muta.	: Germ cell mutagenicity
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
FOR-2011-12-06-1358	: Norway. Occupational Exposure limits
2004/37/EC / STEL	: Short term exposure limit
2004/37/EC / TWA	: Long term exposure limit
FOR-2011-12-06-1358 / TWA	: Long term exposure limit
FOR-2011-12-06-1358 / STEL	: Short term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Deltamethrin Pour-On Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
8.0	28.09.2024	657791-00026	Date of first issue: 02.05.2016

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Skin Sens. 1	H317
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN