

**Efavirenz Solid Formulation**

Version 3.0      Revision Date: 2024/07/06      SDS Number: 86794-00027      Date of last issue: 2024/04/06  
Date of first issue: 2015/04/02

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Efavirenz Solid Formulation

**Manufacturer or supplier's details**

Company : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone number : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Acute toxicity (Oral) : Category 4  
Serious eye damage/eye irritation : Category 2A  
Reproductive toxicity : Category 1B  
Specific target organ toxicity - repeated exposure : Category 1 (Central nervous system, Skin)  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms : 

Signal word : Danger

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

Hazard statements : H302 Harmful if swallowed.  
H319 Causes serious eye irritation.  
H360D May damage the unborn child.  
H372 Causes damage to organs (Central nervous system, Skin) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

May form explosive dust-air mixture during processing, handling or other means.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Efavirenz	154598-52-4	>= 30 -< 60
Cellulose	9004-34-6	>= 10 -< 30
Magnesium stearate	557-04-0	< 10
Sodium n-dodecyl sulfate	151-21-3	>= 1 -< 2.5
Titanium dioxide	13463-67-7	< 1

## Efavirenz Solid Formulation

Version 3.0	Revision Date: 2024/07/06	SDS Number: 86794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02
----------------	------------------------------	----------------------------	---

### 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. Causes serious eye irritation. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides Sulphur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.

## Efavirenz Solid Formulation

Version 3.0      Revision Date: 2024/07/06      SDS Number: 86794-00027      Date of last issue: 2024/04/06  
 Date of first issue: 2015/04/02

Keep away from heat and sources of ignition.  
 Take precautionary measures against static discharges.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.

Materials to avoid : Store in accordance with the particular national regulations.  
 Do not store with the following product types:  
 Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Efavirenz	154598-52-4	TWA	100 µg/m <sup>3</sup>	Internal
Cellulose	9004-34-6	NAB	10 mg/m <sup>3</sup>	ID OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Magnesium stearate	557-04-0	NAB	10 mg/m <sup>3</sup>	ID OEL
Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals				
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
Titanium dioxide	13463-67-7	NAB	10 mg/m <sup>3</sup>	ID OEL
Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals				

**Engineering measures** : Minimize workplace exposure concentrations.  
 Apply measures to prevent dust explosions.  
 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).  
 If sufficient ventilation is unavailable, use with local exhaust ventilation.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety goggles
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white to off-white
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper	:	No data available

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

---

## 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Harmful if swallowed.

### Product:

Acute oral toxicity : Acute toxicity estimate: 849.05 mg/kg  
Method: Calculation method

### Components:

#### Efavirenz:

Acute oral toxicity : LD50 (Rat, female): 419 mg/kg  
LDLo (Rat, male): 1,000 mg/kg

#### Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

#### Sodium n-dodecyl sulfate:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg  
Method: OECD Test Guideline 401  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

#### Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg



**Efavirenz Solid Formulation**

Version 3.0      Revision Date: 2024/07/06      SDS Number: 86794-00027      Date of last issue: 2024/04/06  
Date of first issue: 2015/04/02

---

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Efavirenz:**

Result : Mild skin irritation  
Remarks : slight irritation

**Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Sodium n-dodecyl sulfate:**

Species : Rabbit  
Result : Skin irritation

**Titanium dioxide:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Efavirenz:**

Remarks : Moderate eye irritation

**Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Sodium n-dodecyl sulfate:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

**Efavirenz Solid Formulation**

Version 3.0      Revision Date: 2024/07/06      SDS Number: 86794-00027      Date of last issue: 2024/04/06  
Date of first issue: 2015/04/02

---

**Titanium dioxide:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Efavirenz:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : negative

**Magnesium stearate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

**Sodium n-dodecyl sulfate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

**Titanium dioxide:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Efavirenz:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

Genotoxicity in vivo	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
	:	Test Type: Chromosome aberration test in vitro Result: negative
	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Oral Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

**Cellulose:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

**Magnesium stearate:**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials
	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials

**Sodium n-dodecyl sulfate:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: negative

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

Genotoxicity in vivo	:	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative
----------------------	---	--

**Titanium dioxide:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse Result: negative
----------------------	---	--

**Carcinogenicity**

Not classified based on available information.

**Components:****Efavirenz:**

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Target Organs	:	Lungs, Liver
Remarks	:	The mechanism or mode of action may not be relevant in humans.

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

**Cellulose:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	72 weeks
Result	:	negative

**Sodium n-dodecyl sulfate:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Method	:	OECD Test Guideline 453
Result	:	negative
Remarks	:	Based on data from similar materials

**Titanium dioxide:**

Species	:	Rat
Application Route	:	inhalation (dust/mist/fume)

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

Exposure time	:	2 Years
Method	:	OECD Test Guideline 453
Result	:	positive
Remarks	:	The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in inhalation studies with animals.
------------------------------	---	---

### Reproductive toxicity

May damage the unborn child.

### Components:

#### Efavirenz:

Effects on fertility	:	Species: Rat, male and female Application Route: Oral Fertility: NOAEL: 200 - 400 mg/kg body weight Result: No effects on fertility and early embryonic development were detected.
----------------------	---	---

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: Embryo-foetal toxicity
-------------------------------	---	--

	:	Test Type: Embryo-foetal development Species: Monkey Application Route: Oral Developmental Toxicity: LOAEL: 60 mg/kg body weight Symptoms: Malformations were observed.
--	---	---

	:	Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 75 mg/kg body weight Result: No embryotoxic effects
--	---	---

Reproductive toxicity - Assessment	:	Clear evidence of adverse effects on development, based on animal experiments.
------------------------------------	---	--

#### Cellulose:

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---	---

Effects on foetal development	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion
-------------------------------	---	--

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

Result: negative

### Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

### Sodium n-dodecyl sulfate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 416  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (Central nervous system, Skin) through prolonged or repeated exposure.

### Components:

#### Efavirenz:

Target Organs : Central nervous system  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Efavirenz:

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

Species	: Rat
LOAEL	: 50 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Kidney

Species	: Monkey
LOAEL	: 100 mg/kg
Application Route	: Oral
Exposure time	: 1 - 2 yr
Target Organs	: Central nervous system, Liver, Kidney, Thyroid, Adrenal gland

Species	: Monkey
LOAEL	: 90 mg/kg
Application Route	: Oral
Exposure time	: 1 Months
Target Organs	: Central nervous system
Symptoms	: Lethargy, Weakness

**Cellulose:**

Species	: Rat
NOAEL	: >= 9,000 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

**Magnesium stearate:**

Species	: Rat
NOAEL	: > 100 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Remarks	: Based on data from similar materials

**Sodium n-dodecyl sulfate:**

Species	: Rat
NOAEL	: 488 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Remarks	: Based on data from similar materials

**Titanium dioxide:**

Species	: Rat
NOAEL	: 24,000 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days

Species	: Rat
NOAEL	: 10 mg/m <sup>3</sup>
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 2 yr

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Efavirenz:**

Ingestion	:	Target Organs: Skin Symptoms: Rash Target Organs: Central nervous system Symptoms: Dizziness, insomnia Target Organs: Heart Symptoms: irregular heart beat
-----------	---	---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Efavirenz:**

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.85 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.1 mg/l Exposure time: 48 h Method: FDA 4.08
Toxicity to algae/aquatic plants	:	NOEC (Selenastrum capricornutum (green algae)): 0.026 mg/l Exposure time: 12 d Method: FDA 4.01  NOEC (Microcystis aeruginosa (blue-green algae)): 0.76 mg/l Exposure time: 12 d Method: FDA 4.01
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.066 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.16 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	1

**Cellulose:**



## Efavirenz Solid Formulation

Version 3.0      Revision Date: 2024/07/06      SDS Number: 86794-00027      Date of last issue: 2024/04/06  
 Date of first issue: 2015/04/02

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l  
 Exposure time: 48 h  
 Remarks: Based on data from similar materials

**Magnesium stearate:**

Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): > 100 mg/l  
 Exposure time: 48 h  
 Method: DIN 38412  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (*Daphnia magna* (Water flea)): > 1 mg/l  
 Exposure time: 47 h  
 Test substance: Water Accommodated Fraction  
 Method: Directive 67/548/EEC, Annex V, C.2.  
 Remarks: Based on data from similar materials  
 No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EL50 (*Pseudokirchneriella subcapitata* (green algae)): > 1 mg/l  
 Exposure time: 72 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials  
 No toxicity at the limit of solubility

NOELR (*Pseudokirchneriella subcapitata* (green algae)): > 1 mg/l  
 Exposure time: 72 h  
 Test substance: Water Accommodated Fraction  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (*Pseudomonas putida*): > 100 mg/l  
 Exposure time: 16 h  
 Test substance: Water Accommodated Fraction  
 Remarks: Based on data from similar materials

**Sodium n-dodecyl sulfate:**

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 29 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Ceriodaphnia dubia* (water flea)): 5.55 mg/l  
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Desmodesmus subspicatus* (green algae)): > 120 mg/l  
 Exposure time: 72 h

NOEC (*Desmodesmus subspicatus* (green algae)): 30 mg/l  
 Exposure time: 72 h

Toxicity to fish (Chronic tox- : NOEC (*Pimephales promelas* (fathead minnow)): >= 1.357

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : mg/l  
Exposure time: 42 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l  
Exposure time: 7 d

Toxicity to microorganisms : EC50: 135 mg/l  
Exposure time: 3 h

**Titanium dioxide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Efavirenz:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 11 %  
Exposure time: 32 d  
Method: FDA 3.11

**Cellulose:**

Biodegradability : Result: Readily biodegradable.

**Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

**Sodium n-dodecyl sulfate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 95 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

### Bioaccumulative potential

#### Components:

##### Efavirenz:

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305
Partition coefficient: n-octanol/water	:	log Pow: 5.4

##### Magnesium stearate:

Partition coefficient: n-octanol/water	:	log Pow: > 4
--	---	--------------

##### Sodium n-dodecyl sulfate:

Partition coefficient: n-octanol/water	:	log Pow: 0.83
--	---	---------------

### Mobility in soil

#### Components:

##### Efavirenz:

Distribution among environmental compartments	:	log Koc: 3.36 Method: FDA 3.08
---	---	-----------------------------------

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Efavirenz)
Class	:	9
Packing group	:	III
Labels	:	9

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

Environmentally hazardous : yes

### IATA-DGR

UN/ID No. : UN 3077  
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Efavirenz)  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 956  
 Packing instruction (passenger aircraft) : 956  
 Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Efavirenz)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

### Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

### Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

## Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

Restricted substances : Not applicable

### Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 2024/07/06

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

ID OEL / NAB : Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

**Efavirenz Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

---

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN